



**CITY OF CAMPBELL**  
Community Development Department

September 28, 2020

**NOTICE OF SITE AND ARCHITECTURAL REVIEW PERMIT APPLICATION**

Notice is hereby given that the Planning Division of the Community Development Department of the City of Campbell has received an application for an Administrative Site and Architectural Review Permit for the following project proposal:

**File No.:** PLN-2020-81  
**Applicant:** Robert Basanty  
**Project Address:** 1247 Audrey Ave  
**Property Owner:** Sunil Belligundu  
**Zoning District:** R-1-10 (Single Family Residential)  
**General Plan:** Low Density Residential (San Tomas Area Neighborhood Plan)  
**Neighborhood Association(s):** San Tomas Area Community Coalition  
**Project Description:** 546 square-foot first-floor addition to an existing single-family home.

This project will be decided by the Community Development Director and you have the opportunity to provide comment prior to the Director's decision. The ten-day comment period for this application begins on September 28, 2020 and ends on October 8, 2020. Any comments regarding this application must be submitted in writing (including email) to the Planning Division before 5:00 p.m. on **October 8, 2020**. The Director will then consider all comments submitted within this time period prior to a decision. No additional notice will be provided. Please contact the project planner in a timely manner to determine what decision was reached.

Decisions by the Community Development Director are final in 10 calendar days following the date of approval, unless an appeal is received in writing at the City of Campbell Community Development Department, 70 N. First Street, Campbell, prior to the end of the appeal period. A written appeal must be accompanied with the required \$200 appeal filing fee. City Hall is currently closed to the public however plans and architectural drawings may be viewed on the City's 'Public Notices' web page (<http://www.cityofcampbell.com/501/Public-Notices>) under 'Administrative Decisions' or by contacting the project planner. Questions or comments regarding this application may be addressed to Naz Healy, Assistant Planner, in the Community Development Department, at (408) 866-2144 or by email [nazh@campbellca.gov](mailto:nazh@campbellca.gov).



# Location Map - 1247 Audrey Ave



WGS\_1984\_Web\_Mercator\_Auxiliary\_Sphere  
Campbell IT, GIS Services

Scale 1:2,257

This map is based on GIS Information and reflects the most current information at the time of this printing. The map is intended for reference purposes only and the City and its staff is not responsible for errors.



Revisions	By
08/25/2020	TR


**INNOVATIVE CONCEPTS**  
 PROFESSIONAL BUILDING DESIGN AND PLANNING  
 1500 Shivers Road, Ste. 225  
 Campbell, CA 95008  
 Phone: (408) 885-1079 Fax: (408) 885-1343  
 E-Mail: info@innovativeconcepts.com




An Addition for:  
**The Belligundu Residence**  
 1247 Audrey Ave.  
 Campbell, CA. 95008

Date	06/03/2020
Scale	NOTED
Drawn	GF
Check	
Sheet	

**A0**  
 of \_\_\_\_\_







Revisions	By
08/25/2020	TR

**INNOVATIVE CONCEPTS**  
 PROFESSIONAL BUILDING DESIGN AND PLANNING  
 1500 Shivers Road, Suite 225  
 Irvine, CA 92614-1079 Fax: (949) 850-1343  
 E-Mail: info@innovativeconcepts.com




An Addition for:  
**The Belligundu Residence**  
 1247 Audrey Ave.  
 Campbell, CA. 95008

Date	06/03/2020
Notes	NOTED
Drawn	GF
Scale	
Sheet	


**A0.2**  
 of \_\_\_\_\_ Sheet \_\_\_\_\_



Revisions	By
08/25/2020	TR



EXISTING FRONT ELEVATION  
1/4" = 1'-0"



EXISTING RIGHT-SIDE ELEVATION  
1/4" = 1'-0"

INNOVATIVE CONCEPTS  
PROFESSIONAL BUILDING DESIGN AND PLANNING  
3500 Shivers Road, Ste. 225  
Campbell, CA 95008  
Phone: (408) 885-1079 Fax: (408) 885-1343  
E-Mail: info@innovativei.com



An Addition for:  
The Belligundu Residence  
1247 Audrey Ave.  
Campbell, CA 95008

Date	06/03/2020
Notes	NOTED
Drawn	GF
Scale	
Sheet	

A2  
of 2 Sheets

Revisions	By
08/25/2020	TR

**INNOVATIVE CONCEPTS**  
 PROFESSIONAL BUILDING DESIGN AND PLANNING  
 3500 Shivers Road, Blvd. 5th 225  
 Irvine, CA 92618-1079 Fax: (949) 852-1343  
 E-Mail: info@icpdesign.com



An Addition for:  
**The Belligundu Residence**  
 1247 Audrey Ave.  
 Campbell, CA. 95008

Date	06/03/2020
Status	NOTED
Drawn	GF

Sheet  
**A3**  
 of \_\_\_\_\_




EXISTING REAR ELEVATION  
 1/4" = 1'-0"



EXISTING LEFT-SIDE ELEVATION  
 1/4" = 1'-0"





PROPOSED FLOOR PLAN  
1/4" = 1'-0"

**PRESCRIPTIVE PLUMBING FIXTURE REQUIREMENTS, CGBC 4.303.1:**

1. WATERS CLOSETS: ≤120 GAL/FLUSH, CGBC 4.303.1.1
2. SINGLE SHOWERHEADS: ≤1.8 GPM AT 80 PSI, CGBC 4.303.1.3
3. MULTIPLE SHOWERHEADS: COMBINED FLOW RATE OF ALL SHOWERHEADS AND/OR OTHER SHOWER OUTLETS CONTROLLED BY A SINGLE VALVE SHALL NOT EXCEED 2.0 GPM AT 80 PSI OR ONLY ONE SHOWER OUTLET IS TO BE IN OPERATION AT A TIME, CGBC 4.303.1.3.2
4. RESIDENTIAL LAVATORY FAUCETS: ≤1.2 GPM AT 60 PSI, CGBC 4.303.1.4.1
5. KITCHEN FAUCETS: ≤1.9 GPM AT 60 PSI; TEMPORARY INCREASE TO 2.2 GPM ALLOWED BUT SHALL DEFAULT TO 1.9 GPM, 4.303.1.4.4

**CALGREEN REQUIREMENTS:**

- PLUMBING FIXTURES AND FITTINGS REQUIRED IN SECTION 4.303.1 SHALL BE INSTALLED ACCORDANCE WITH THE CALIFORNIA PLUMBING CODE AND SHALL MEET THE APPLICABLE REFERENCED STANDARDS, CGBC 4.303.2
- AUTOMATIC IRRIGATION SYSTEMS CONTROLLERS INSTALLED AT THE TIME OF FINAL INSPECTION SHALL BE PROVIDED WITH INTEGRAL RAIN SENSORS OR SOIL MOISTURE SENSORS THAT ADJUST IRRIGATION IN RESPONSE TO CHANGES IN PLANTS' NEEDS AS WEATHER CONDITIONS CHANGE, CGBC 4.304.1
- ANNULAR SPACES AROUND PIPES, ELECTRIC CABLES, CONDUITS OR OTHER OPENINGS IN FLATES AT EXTERIOR WALLS SHALL BE PROTECTED AGAINST THE PASSAGE OF RODENTS BY CLOSING SUCH OPENINGS WITH CEMENT MORTAR, CONCRETE MASONRY OR SIMILAR ACCEPTABLE METHOD, CGBC 4.406
- AN OPERATION AND MAINTENANCE MANUAL SHALL BE PROVIDED PRIOR TO FINAL INSPECTION, CGBC 4.410.1
- GAS FIREPLACES SHALL BE A DIRECT-VENT SEALED-COMBUSTION TYPE. WOOD/Pellet STOVES SHALL COMPLY WITH US EPA PHASE II EMISSION LIMITS, CGBC 4.503.1
- DUCT AND VENT OPENINGS SHALL BE COVERED DURING CONSTRUCTION, CGBC 4.504.1
- ADHESIVES SEALANTS AND CAULKS SHALL BE COMPLIANT WITH VOC AND OTHER TOXIC COMPOUND LIMITS, CGBC 4.504.2.1
- PAINTS, STAINS, AND OTHER COATINGS SHALL BE COMPLIANT WITH VOC LIMITS, CGBC 4.504.2.2
- AEROSOL PAINTS AND COATING SHALL BE COMPLIANT WITH PRODUCT WEIGHTED MIR LIMITS FOR ROC AND OTHER TOXIC COMPOUNDS, CGBC 4.504.2.3
- DOCUMENTATION SHALL BE PROVIDED TO VERIFY THAT COMPLIANT VOC LIMIT FINISH MATERIALS HAVE BEEN USED, CGBC 4.504.2.4
- CARPET AND CARPET SYSTEMS SHALL BE COMPLIANT WITH VOC LIMITS, CGBC SECTION 4.504.3
- 80 PERCENT OF FLOOR AREA RECEIVING RESILIENT FLOORING SHALL COMPLY WITH THE VOC-EMISSION LIMITS DEFINED IN THE COLLABORATIVE FOR HIGH PERFORMANCE SCHOOLS (CHPS) HIGH PERFORMANCE PRODUCTS DATABASE OR COMPLIANT WITH CHPS CRITERIA CERTIFIED UNDER THE GREEN GUARD CHILDREN & SCHOOLS PROGRAM OR BE CERTIFIED UNDER THE RESILIENT FLOOR COVERING INSTITUTE (RFCI) FLOOR SCORE PROGRAM OR MEET THE CALIFORNIA DEPARTMENT OF PUBLIC HEALTH STANDARD METHOD FOR THE TESTING AND EVALUATION OF VOLATILE ORGANIC CHEMICAL EMISSIONS FROM INDOOR SOURCES USING ENVIRONMENTAL CHAMBERS, CGBC 4.504.4
- PARTICLEBOARD, MEDIUM DENSITY FIBERBOARD (MDF) AND HARDWOOD PLYWOOD USED IN INTERIOR FINISH SYSTEMS SHALL COMPLY WITH LOW FORMALDEHYDE EMISSION STANDARDS, CGBC 4.504.5
- MOISTURE CONTENT OF BUILDING MATERIALS USED IN ENCLOSED WALL AND FLOOR FRAMING IS CHECKED BEFORE ENCLOSURE AND CANNOT EXCEED 19%, CGBC 4.505.3
- WHOLE HOUSE EXHAUST FANS SHALL HAVE INSULATED LOUVERS OR COVERS WHICH CLOSE WHEN THE FAN IS OFF. COVERS OR LOUVERS SHALL HAVE A MINIMUM INSULATION VALUE OF R-4.2, CGBC SECTION 4.507.1
- DUCT SYSTEMS SHALL BE SIZED AND DESIGNED AND EQUIPMENT SHALL BE SELECTED USING THE FOLLOWING METHODS CGBC 5.507.1:
  - a. ESTABLISH HEAT LOSS AND HEAT GAIN VALUES ACCORDING TO ANSI/ACCA MANUAL J-2004 OR EQUIVALENT.
  - b. SIZE DUCT SYSTEMS ACCORDING TO ANSI/ACCA I MANUAL D 2009 OR EQUIVALENT.
  - c. SELECT HEATING AND COOLING EQUIPMENT ACCORDING TO ANSI/ACCA 3 MANUAL S-2004 OR EQUIVALENT.

Revisions	By
08/25/2020	TR

**INNOVATIVE CONCEPTS**  
PROFESSIONAL BUILDING DESIGN AND PLANNING  
3500 Shivers Court, Suite 200  
Folsom, CA 95630  
Phone: (916) 985-1079 Fax: (916) 985-1343  
E-Mail: info@innovativeconcepts.com




An Addition for:  
**The Belligundu Residence**  
1247 Audrey Ave.  
Campbell, CA 95008

Date	06/03/2020
Status	NOTED
Drawn	GF
Scale	
Sheet	


**A5**  
Sheet



Revisions	By
08/25/2020	TR



PROPOSED FRONT ELEVATION  
1/4" = 1'-0"



PROPOSED RIGHT-SIDE ELEVATION  
1/4" = 1'-0"

**INNOVATIVE CONCEPTS**  
PROFESSIONAL BUILDING DESIGN AND PLANNING  
3500 Shivers Road, Ste. 225  
Campbell, CA 95008  
Phone: (408) 865-1079 Fax: (408) 865-1343  
E-Mail: info@innovativeci.net



An Addition for:  
**The Belligundu Residence**  
1247 Audrey Ave.  
Campbell, CA 95008

Date	06/03/2020
Notes	NOTED
Form	GF
Scale	
Sheet	

**A6**  
of \_\_\_\_\_ Sheet \_\_\_\_\_

Revisions	By
08/25/2020	TR

INNOVATIVE CONCEPTS  
 PROFESSIONAL BUILDING DESIGN AND PLANNING  
 3500 Silverwood Blvd, Ste 225  
 Irvine, CA 92614  
 Phone: (949) 585-1079 Fax: (949) 485-1343  
 E-Mail: info@innovativeconcepts.com




An Addition for:  
 The Belligundu Residence  
 1247 Audrey Ave.  
 Campbell, CA. 95008

Date	06/03/2020
Scale	NOTED
Drawn	GF
Check	
Sheet	

A7  
 of Sheets



PROPOSED REAR ELEVATION  
 1/4" = 1'-0"



PROPOSED LEFT-SIDE ELEVATION  
 1/4" = 1'-0"

Revisions	By
06/25/2020	TR

**VENT CALCULATIONS:**


VENT FIRST FLOOR ATTIC 1/50 SF MIN. REQ.  
ATTIC AREA 1158 SF

50% X 1158 SF = 579 SF  
 579 SF/150 = 3.86 SF  
 3.86 X 144 = 555.84 SQ. IN.  
 EYEBROW VENT TYP 21" X 24" = 87 SQ. IN. EA.  
 555.84/87 = 6.39  
 6 ATTIC VENT MIN. REQ. BY O HAGINS INC.  
 TO PROVIDE 50% OF REQUIRED ATTIC VENTILATION  
 IN UPPER PORTION

50% X 1158 SF = 579 SF  
 579 SF/150 = 3.86 SF  
 3.86 X 144 = 555.84 SQ. IN.  
 EAVE VENT 6" X 22" = 71 SQ. IN. NFVA  
 555.84/71 = 7.82  
 8 ATTIC VENT MIN. REQ. BY  
 CONSTRUCTION METALS INC.  
 TO PROVIDE 50% OF REQUIRED ATTIC VENTILATION  
 IN LOWER PORTION

VENT UNDER-FLOOR 1/50 SF MIN. REQ.  
U/F AREA 2,638 SF

2,638 SF/150 = 18 SF  
 18 SF X 144 = 2,592 SQ. IN.  
 FOUNDATION VENT TYP 8" X 14" = 71 SQ. IN. NFVA.  
 2,592/71 = 36.5  
 37 FOUNDATION VENTS MIN. REQ.  
 BY CONSTRUCTION METALS INC.  
 TO PROVIDE REQUIRED UNDERFLOOR VENTILATION  
 PLUS MAKE UP FOR VENTS TO BE COVERED



**PROPOSED ROOF PLAN**  
1/4" = 1'-0"

**INNOVATIVE CONCEPTS**  
 PROFESSIONAL BUILDING DESIGN AND PLANNING  
 1500 Shreve Road, Ste. 225  
 Campbell, CA 95008  
 Phone: (408) 585-1079 Fax: (408) 585-1343  
 E-Mail: info@innovativeconcepts.com



An Addition for:  
**The Belligundu Residence**  
 1247 Audrey Ave.  
 Campbell, CA 95008

Date	06/03/2020
Status	NOTED
Form	GF
Scale	
Sheet	

**A8**

